## INVITATION TO BID:

## **REQUEST FOR PROPOSAL (RFP)**

## **GOVERNMENT PENSIONS ADMINISTRATION AGENCY**

The Government Pensions Administration Agency (GPAA) is a government component which reports to the Minister of Finance and administers funds and schemes on behalf of the Government Employees Pension Fund (GEPF), the largest pension fund in Africa, and National Treasury. It thus administers the pension affairs of approximately 1.7 million government employees and those of pensioners, spouses and dependants.

To meet the needs of our changing client base, the GPAA is modernising. In order for this modernisation to be effective, we are looking to make use of goods and services from experienced and enthusiastic individuals and companies from all disciplines who are interested in contributing towards positive change. If this is you or your company, please put together a bid and proposal for the tender detailed below:



## BID GPAA 14/2016: SUPPLY, INSTALLATION AND MAINTENANCE OF DIESEL GENERATORS AND UPS AT THE GEPF OFFICES

The GPAA invites bids and proposals from suitably qualified and competent service providers for the supply, installation and maintenance of diesel generators and UPS services for a period of 24 months. Minimum of 4EB CIDB grading is required.

Bid documents will be available on the following website: www.gpaa.gov.za

A compulsory briefing session will be held on Friday, 15 April 2016 at 10:00am, at the offices of the Government Pensions Administration Agency at 34 Hamilton Street, Arcadia, Pretoria. **Late arrivals will not be permitted.** 

Closing date: Wednesday, 04 May 2016 at 11:00am. Late bids will not be accepted.

All bids must be deposited in the Bid Box at the GPAA offices on 34 Hamilton Street, Arcadia, Pretoria on or before the closing date and time.

Enquiries can be directed as follows:

Enquiries	Email contacts
General enquiries:	william.ramoroka@gpaa.gov.za
Technical enquiries:	maphile.Mokadi@gpaa.gov.za

Please note that technical queries should be made in writing and SCM representatives should be copied in the communication.

