1. EXECUTIVE OFFICES

ITEM	DESCRIPTION	PICTURE
1	PANEL LEG DESK WITH HALF DOME LEG, MODESTY PANEL AND BULLET END AS ON LAY-OUT – 2000mm(W) X 800mm(D) X 740mm(H). OPEN L- EXTENSION WITH MODESTY PANEL – 1800mm(W) X 600mm(D) X 740mm(H) WALL UNIT – BASE: LOCKABLE 4 DRAWER PEDENZA AND SHELF WITH SILVER ROLLERDOOR. 4 DRAWERS WITH CENTRAL LOCKING. – 1400mm(W) X 800mm(D) X 740mm(H) WALL UNIT TOP: 2 FRAMED DOUBLE GLASS HINGED DOOR SECTIONS WITH 2 ADJUSTABLE SHELVES – 2000mm(W) X 400mm(D) X 1260mm(H) SILVER WHALEBONE HANDLES ON DRAWERS AND WALL UNITS. DRAWERS NOT TO BE ENCLOSED INSIDE PEDENZA BY ROLLERDOOR.	
2	ROLLER DOOR SYSTEMS CUPBOARD WITH 3 STEEL SHELVES – 1100mm(W) X 500mm(D) X 1500mm(H). LOCKABLE	

3 CLASSIC DIAMOND HIGH BACK CHAIR

SEAT AND BACK BOARD: SINGLE SHELL MANUFACTURED FROM S.A. PINE VENEER, 1.5mm IN THICKNESS. CROSS LAMINATED AND PRESSED ONTO THE CONTOURED SHAPE. THE MINIMUM THICHNESS OF THIS BOARD IS 13MM.

ERGONOMICALLY AND AESTHETICALLY DESIGNED BACK REST, CURVED FOR OPTIMUM COMFORT AND IDEAL LUMBER SUPPORT.

FOAM: ALL FOAM USED ON THE CHAIRS COMPLIES WITH SABS APPROVAL.

SEAT FOAM: DENSITY 28 – 30 KG / M3. HARDNESS

FACTOR: 10 – 14 KG / M3.

BACK FOAM: DENSITY 17 – 19 KG / M3. HARDNESS

FACTOR: 9 – 11 KG / M3.

CASTORS: TWIN WHEEL (DUAL ACTION). WHEELS ARE 50MM IN DIAMETER.

THE WHEELS ARE PLUG IN TYPE TO ENSURE QUICK AND EASY REPLACEMENT.

THE PIN INSERT IS OFF-CENTRE TO ENSURE TOTAL MANOEUVRABILITY IN ANY DIRECTION. SABS 1292 COMPLIENT. BLACK IN COLOUR.

5-STAR BASE: STEEL 5 TOE BASE. WOOD CAPPING STAINED TO MATCH WOOD COLOUR FOR FURNITURE. MECHANISM: EXECUTIVE KNEE TILT MECHANISM.

HEIGHT ADJ: EXECUTIVE GAS CYLINDER. GAS CYLINDER HOUSED INSIDE STEEL TUBE. BLACK POWDER COATED TELESCOPIC DUST COVER.

ARM RESTS: CLASSIC DIAMOND ARM IN WOOD STAINED TO MATCH DESKING.

UPHOLSTERY: GENIUNE LEATHER. CHOCOLATE BROWN IN COLOUR WITH DIAMOND PATTERN – NO BUTTONS.



4	SEAT AND BACK BOARD: SINGLE SHELL MANUFACTURED FROM S.A. PINE VENEER, 1.5mm IN THICKNESS. CROSS LAMINATED AND PRESSED ONTO THE CONTOURED SHAPE. THE MINIMUM THICHNESS OF THIS BOARD IS 13MM.	
	ERGONOMICALLY AND AESTHETICALLY DESIGNED BACK REST, CURVED FOR OPTIMUM COMFORT AND IDEAL LUMBER SUPPORT. FOAM: ALL FOAM USED ON THE CHAIRS COMPLIES WITH SABS APPROVAL. SEAT FOAM: DENSITY 28 – 30 KG / M3. HARDNESS FACTOR: 10 – 14 KG / M3. BACK FOAM: DENSITY 17 – 19 KG / M3. HARDNESS FACTOR: 9 – 11 KG / M3.	
	SLEIGH BASE: LAMINATED SLEIGH BASE STAINED TO MATCH DESK WITH A CHROME CROSS BAR. UPHOLSTERY: GENIUNE LEATHER. CHOCOLATE BROWN IN COLOUR. STITICHING DETAIL AS SHOWN IN PICTURE – NO BUTTONS.	
	HAT & COAT STAND – 1500mm(H)	

6	3 TIER LETTERTRAY WITH CHROME RISERS (PICTURE SHOWS 2-TIER WITH BRASS RISERS – PLEASE SEE SPEC)	
7	TAPERED WASTE BIN – 240 X 240 X 300mm(H)	
8	Havanna 2-seater couch with chrome feet Back and seat upholstered in Weavers World, Range - Smooth, colour 72 Side panels upholstered in Weavers World, Range - Radiate, Lawn 7642	
9	Havanna slipper Single-seater chair with chrome feet Upholstered in Weavers World, Range - Radiate , Colour Lawn 7642	

10	CUBA – Double Seater Colour – Chocolate brown Genuine Leather: Cow top leather on the front and leatherette on the back. Chrome metal tube frame. Chrome metal tube frame.	
11	CUBA – Single Seater Colour – Chocolate brown Genuine Leather: Cow top leather on the front and leatherette on the back. Chrome metal tube frame.	
12	CAPRI – Single Seater Colour – Chocolate brown Genuine Leather: Cow top leather on the front and leatherette on the back. Chrome feet.	

12	CAPRI - Double seater Colour – Chocolate brown Genuine Leather Combo: Cow top leather on the front and leatherette on the back. Chrome feet.	
13	Side table with 10mm tempered glass top and chrome legs – 680mm(W) X 680mm(D) X 500mm(H)	
14	Coffee table with 10mm tempered glass top and chrome legs 1320mm(W) X 680mm(D) X 445mm(H)	

ITEM	DESCRIPTION	PICTURE

1	RECTANGULAR PANEL LEG DESK , MODESTY PANEL TO FLOOR – 1800mm(W) X 800mm(D) X 740mm(H). 3 DRAWER MOBILE PEDESTAL WITH CENTRAL LOCKING. OPEN L- EXTENSION WITH MODESTY PANEL – 1800mm(W) X 600mm(D) X 740mm(H) WALL UNIT – BASE: LOCKABLE ROLLERDOOR CREDENZA AND SHELF WITH SILVER ROLLERDOOR - 1200mm(W) X 800mm(D) X 740mm(H) WALL UNIT TOP: 2 FRAMED DOUBLE GLASS HINGED DOOR SECTIONS WITH 2 ADJUSTABLE SHELVES – 1800mm(W) X 400mm(D) X 1260mm(H) SILVER WHALEBONE HANDLES ON DRAWERS AND WALL UNITS.	
2	4 DRAWER FILING CABINET- 450mm(W) X 500mm(D) X 1250mm(H) TOP: 32mm WITH FLAT EDGE. PLINTH: 32mm WITH FLAT BLACK EDGE	
3	HIGH BACK OPERATORS CHAIR – NO STITCHING SEAT AND BACK BOARD: SPLIT SHELL MANUFACTURED FROM S.A. PINE VENEER, 1.5mm IN THICKNESS. CROSS LAMINATED AND PRESSED ONTO THE CONTOURED SHAPE. THE MINIMUM THICHNESS OF THIS BOARD IS 13mm. ERGONOMICALLY AND AESTHETICALLY DESIGNED BACK REST, CURVED FOR OPTIMUM COMFORT AND IDEAL LUMBER SUPPORT. FOAM: ALL FOAM USED ON THE CHAIRS COMPLIES WITH SABS APPROVAL. SEAT FOAM: DENSITY 28 – 30 KG / M3. HARDNESS FACTOR: 10 – 14 KG / M3. BACK FOAM: DENSITY 17 – 19 KG / M3. HARDNESS FACTOR: 9 – 11 KG / M3. CASTORS: TWIN WHEEL (DUAL ACTION). WHEELS ARE 50MM IN DIAMETER. THE WHEELS ARE PLUG IN TYPE TO ENSURE QUICK AND EASY REPLACEMENT. THE PIN INSERT IS OFF-CENTRE TO ENSURE TOTAL MANOEUVRABILITY IN ANY DIRECTION. SABS 1292 COMPLIENT. BLACK IN COLOUR.	

	5-STAR BASE: CHROME. MECHANISM: SYNCHRO MECHANISM LOCKABLE IN 5 POSITIONS. HEIGHT ADJ: EXECUTIVE GAS CYLINDER. GAS CYLINDER HOUSED INSIDE STEEL TUBE. BLACK POWDER COATED TELESCOPIC DUST COVER. ARM RESTS: CHROMED WISHBONE ARM RESTS WITH BLACK PU ARM PAD. UPHOLSTERY: BACKREST: WW 1811/04 (STRIPED). SEAT: WW 471/02 (PLAIN BROWN).	
4	QUEEN ANNE WINGBACK. UPHOLSTERED IN CHOC BROWN LEATHER WITH LEATHER COVERED BUTTONS ON BACKREST. FEET STAINED TO MATCH FURNITURE IN EXECUTIVE AREAS 860mm(W) X 850mm(D) X 1000mm(H) SEAT WIDTH: 470mm SEAT DEPTH: 570mm UPHOLSTERY: CHOCOLATE BROWN GENUINE LEATHER	
5	SIDE TABLE STAINED TO MATCH FURNITURE – 450mm(DIA) X 500mm(H)	

6	CACTUS HAT & COAT ST.	AND IN SILVER	
8	STEEL LETTERTRAY: PAPERCUBE HOLDER:	3 TIER STEEL, POWDER COATED IN SILVER SQUARE PERFORATION STEEL, POWDER COATED IN SILVER SQUARE PERFORATION	
9	WASTE BINS:	73mm(W) X 73mm(D) X 110mm(H) STEEL, POWDER COATED IN SILVER SQUARE PERFORATION 240mm(DIA) X 300mm(H)	

ITEM	DESCRIPTION	PICTURE / DRAWING
1	WORKSTATION MADE UP AS FOLLOWS: 1 X CORE TOP - 1200 X 1200 X 600 X 600mm 1 X EXTENSION TOP - 600 X 600mm (ABOVE DRAWER UNIT) 1 X 3-DRAWER DESK HIGH PEDESTAL WITHOUT TOP - 400mm(W) X 500mm(D) X 700mm(H) WITH PEN & PENCIL TRAY AND DEEP FILER - LOCKABLE 1 X RETICULATED STEEL LEGS - 76mm 1 X PANEL LEG (400 WIDE) 2 X LARGE LINKING PLATES (BRACKETS)	PANEL 1200 × 1200 600 X 600 RETICULATED POLE
2	HIGH BACK CHAIR: TECHNO 800 HIGH BACK CHAIR. BLACK PU FLEXIBLE ARMS. PASSIVE SYNCHRO MECHANISM WITH 5 POSITION LOCK. GAS HEIGHT ADJUSTMENT. 5-STAR CHROME BASE WITH HEAVY DUTY CASTERS UPHOLSTERY: BACKREST: WW 1811/04 (STRIPED). SEAT: WW 471/02 (PLAIN BROWN)	

3	ROLLER DOOR SYSTEMS CUPBOARD WITH 3 STEEL SHELVES – SILVER ROLLER DOOR - LOCKABLE TOP: 32mm WITH FLAT EDGE. PLINTH: 32mm WITH FLAT BLACK EDGE. BACK: 16mm SINGLE FACE BOARD. 3 POINT LOCK – 1200mm(W) X 500mm(D) X 1500mm(H)	
4	WASTE BINS: STEEL, POWDER COATED IN SILVER SQUARE PERFORATION 240mm(DIA) X 300mm(H)	
5	LARGE WASTE BIN: STEEL, POWDER COATED IN SILVER WITH FUNNEL TOP, AND PLASTIC LINER – 340mm(DIA) X 600mm(H)	

ITEM	DESCRIPTION	PICTURE / DRAWING
1	FLOOR BASED DOUBLE SIDED RETICULATED SCREEN – 1600mm(H) X 1200mm (W) FABIC PANEL TO HEIGHT OF 1200mm GLASS PANEL 400mm HIGH ABOVE FABRIC PANEL RETICULATION AT FLOOR LEVEL UPHOLSTERED IN WW STRATA: 471-02	
2	FLOOR BASED SINGLE SIDED RETICULATED SCREEN – 1600mm(H) X 1200mm (W) FABIC PANEL TO HEIGHT OF 1200mm GLASS PANEL 400mm HIGH ABOVE FABRIC PANEL	m

	RETICULATION AT FLOOR LEVEL UPHOLSTERED IN WW STRATA: 471-02	
3	FLOOR BASED NON-RETICULATED SCREEN – 1600mm(H) X 1200mm (W) FABIC PANEL TO HEIGHT OF 1200mm GLASS PANEL 400mm HIGH ABOVE FABRIC PANEL UPHOLSTERED IN WW STRATA: 471-02	
4	FLOOR BASED NON-RETICULATED SCREEN – 1600mm(H) X 600mm (W) FABIC PANEL TO HEIGHT OF 1200mm GLASS PANEL 400mm HIGH ABOVE FABRIC PANEL UPHOLSTERED IN WW STRATA: 471-02	
5	UNIVERSAL 2/3/4-WAY CONNECTOR POLE FOR VARIOUS ANGLES JOINING OF SCREENS – 1600mm(H)	NO IMAGE
6	ADDITIONAL BRACKETS, LINKING PLATES, WALL STARTERS ETC REQUIRED TO COMPLETE THE SCREEN INSTALLATION	NO IMAGE
7	PLUG-SETS (INDICATED AS CC ON PLAN): 1 DEDICATED SOCKET – WIRED, 2 X NORMAL SOCKET – WIRED, 1 X 2-PIN EURO PLUG, 2 X VOICE / DATE SOCKETS WITH FACE PLATES – NOT WIRED. SUPPLIER TO INSTALL THESE PLUGSETS AND TO CONNECT TO THE POWER SKIRTING. ENSURE THAT ELECTRICAL CABLES ARE LONG ENOUGH TO REACH EACH DESK.	NO IMAGE
8	PLUG-SETS (INDICATED AS CC1 ON PLAN) 1 X NORMAL SOCKET – WIRED, SUPPLIER TO INSTALL THESE PLUGSETS AND TO CONNECT TO THE POWER SKIRTING. ENSURE THAT ELECTRICAL CABLES ARE LONG ENOUGH TO REACH EACH DESK.	NO IMAGE

ITEM	DESCRIPTION	PICTURE / DRAWING
1	12-SEATER BARREL-SHAPED BOARDROOM TABLE - REVERSE CHAMFER EDGE – 3750mm X 1000/1600mm. STYLE AS LAY-OUT – PICTURE SHOWS LEG REQUIRED	
2	1200 DIA ROUND MEETING TABLE WITH 32mm TOP AND CHROME DOME LEG	
3	HORIZONTAL POWER DOCK: 1 X SA RED 3-PIN SOCKET, 1 X SA NORMAL 3-PIN SOCKET, 1 X 2 PIN SOCKET, 1 X VGA, 2 X SHUTTERED BEZELS ONLY (RJ45) NOT INCLUDED 1 X VGA CABLE 1 X HDMI CABLE 1 X 3M FLY LEAD	pover back

4	HD LED 52" SCREEN SAMSUNG INCLUDING WALL MOUNTED BRACKET SUPPLY AND INSTALL	
5	SERVER UNIT IN MAHOGANY VENEER WITH 1 X ADJUSTBALE SHELF IN EACH SIZE: 1800 X 600 X 900H SILVER WISHBONE HANDLES LOCKABLE DOORS AND CENTRAL LOCK FOR DRAWER UNIT	

ITEM	DESCRIPTION	PICTURE / DRAWING
1	ROUND CANTEEN TABLE – 700mm(DIA) X 740mm(H) AS SHOWN	
2	CANTEEN CHAIR AS SHOWN	

3	Flamingo chairs 100% Aluminium The seats joints are welded and not screwed This chair is suitable for outdoors	
4	Diablo Dimensions: 600mm Diam. X 1100mmH Aluminium pole with cast aluminium base. Stainless steel is molded over super wood top, there Is no edging around table.	


5 LAI	RGE W	ASTE	BIN
-------	-------	------	-----

STEEL, POWDER COATED IN SILVER WITH FUNNEL TOP, AND PLASTIC LINER – 340mm(DIA) X 600mm(H)



ITEM	DESCRIPTION	PICTURE / DRAWING
1	9-BAY HIGH DENSITY CABINET WITH LAMINATE CLADDING. COLOUR AFRICAN WENGE. LOCKABLE	
2	4-BAY HIGH DENSITY CABINET WITH LAMINATE CLADDING. COLOUR AFRICAN WENGE. LOCKABLE	

3	OPEN STEEL SHELVING UNIT WITH CORNER GUSSETS, BACK AND SIDE BRACES, 1910 (H) X 914mm (W) X 450mm (D) WITH 5 SHELVES IN MEDIUM GREY	
4	STANDARD STEEL SHELF FOR HIGH DENSITY CABINET. 5 X SHELVES PER BAY	
5	STEP STOOL WITH COLLAPSIBLE WHEEL	



2	HIGH BACK CHAIR: TECHNO 800 HIGH BACK CHAIR. BLACK PU FLEXIBLE ARMS. PASSIVE SYNCHRO MECHANISM WITH 5 POSITION LOCK. GAS HEIGHT ADJUSTMENT. 5-STAR CHROME BASE WITH HEAVY DUTY CASTERS UPHOLSTERY: BACKREST: WW 1811/04 (STRIPED). SEAT: WW 471/02 (PLAIN BROWN)	
3	T900 VISITOR CHAIR WITH INTEGRAL CHROME FRAME UPHOLSTERY: BACKREST: WW 1811/04 (STRIPED). SEAT: WW 471/02 (PLAIN BROWN)	
4	WASTE BINS: STEEL, POWDER COATED IN SILVER SQUARE PERFORATION 240mm(DIA) X 300mm(H)	
5	FLOOR BASED DOUBLE SIDED RETICULATED SCREEN – 1600mm(H) X 800mm (W). FABIC PANEL TO HEIGHT OF 1200mm WITH GLASS PANEL 400mm HIGH ABOVE FABRIC PANEL PANEL TO ALLOW FOR CABLES TO THREAD THROUGH SCREEN RETICULATION UNDER DESK TOP, NOT FLOOR LEVEL IN LINE WITH THE CABLE MANAGEMENT TRAY UNDER THE DESK TOP UPHOLSTERED IN WW STRATA: 471-02	6

	SCREEN LEGS X 2 PER SCREEN 6mm MDF BOARD (2 x 3mm PANELS) FOAM THICKNESS: 5mm COMPLETE SCREEN THICKNESS: 50 – 80mm DEPENDING ON MANUFACTURER SINGLE EXTRUDED ALUMINIUM FRAME FRAME DEPTH: 38mm TOP COVER STRIP: BLACK PVC BLACK ABS PLASTIC COVERING SCREEN TO SCREEN CONNECTION POINT	RETICULATION: FULLY INTEGRATED BUILT-IN SYSTEM IN SCREEN. THIS SYSTEM MUST BE EQUIPPED WITH SOLID SEPERATION BRACKET (SHELF) LOCATED INSIDE THE RETICULATION SYSTEM SEPERATING POWER CABLING FROM IT CABLING.
6	FLOOR BASED NON-RETICULATED SCREEN — 1600mm(H) X 800mm (W). FABIC PANEL TO HEIGHT OF 1200mm WITH GLASS PANEL 400mm HIGH ABOVE FABRIC PANEL UPHOLSTERED IN WW STRATA: 471-02 6mm MDF BOARD (2 x 3mm PANELS) FOAM THICKNESS: 5mm COMPLETE SCREEN THICKNESS: 50 – 80mm DEPENDING ON MANUFACTURER SINGLE EXTRUDED ALUMINIUM FRAME FRAME DEPTH: 38mm TOP COVER STRIP: BLACK PVC BLACK ABS PLASTIC COVERING SCREEN TO SCREEN CONNECTION POINT	
7	FLOOR BASED NON-RETICULATED SCREEN – 1600mm(H) X 600mm (W). FABIC PANEL TO HEIGHT OF 1200mm WITH GLASS PANEL 400mm HIGH ABOVE FABRIC PANEL UPHOLSTERED IN WW STRATA: 471-02 SCREEN LEGS X 2 PER SCREEN	

8	ALUMINIUM FEET FOR SCREEN	
9	PLUG-SETS (INDICATED AS CC ON PLAN): 1 DEDICATED SOCKET – WIRED, 2 X NORMAL SOCKET – WIRED, 1 X 2-PIN EURO PLUG, 2 X VOICE / DATE SOCKETS WITH FACE PLATES – NOT WIRED. THESE PLUGSETS TO BE SUPPLIED AND INSTALLED BY FURNITURE CONTRACTOR. ENSURE THAT CABLE LENGHTS ARE CORRECT AS ALL WORKSTATIONS MUST DAISY-CHAIN AND CONNECT TO NEW POWERSKIRTING. SEE ELECTRICAL PLAN	NO IMAGE
10	3-TIER STEEL LETTERTRAY, POWDER COATED SILVER WITH SQUARE PERFORATION PAPER CUBE HOLDER, POWDER COATED SILVER WITH SQUARE PERFORATION, SIZE 73mm X 73mm X 110Mm (H)	
11	2-SEAT AIRPORT BENCH IN STAINLESS STEEL WITH PERFORATED BACK AND SIDES (NO LEATHERETTE COVERING PLEASE)	
ITEM	DESCRIPTION	PICTURE / DRAWING

1	RECEPTION COUNTER: CURVED RECEPTION COUNTER 2450mm X 800mm WITH COUNTER TOP AND GLASS SHELF ON S/STEEL RISERS AS PER PICTURE	AAA ANGE GEMENT RUM Ort Desk 199 2500 Mail Inquiries SSPINASPIA
2	HIGH BACK CHAIR: TECHNO 800 HIGH BACK CHAIR. BLACK PU FLEXIBLE ARMS. PASSIVE SYNCHRO MECHANISM WITH 5 POSITION LOCK. GAS HEIGHT ADJUSTMENT. 5-STAR CHROME BASE WITH HEAVY DUTY CASTERS UPHOLSTERY: BACKREST: WW 1811/04 (STRIPED). SEAT: WW 471/02 (PLAIN BROWN)	
3	WASTE BINS: STEEL, POWDER COATED IN SILVER SQUARE PERFORATION 240mm(DIA) X 300mm(H)	
4	3-TIER STEEL LETTERTRAY, POWDER COATED SILVER WITH SQUARE PERFORATION PAPER CUBE HOLDER, POWDER COATED SILVER WITH SQUARE PERFORATION, SIZE 73mm X 73mm X 110Mm (H)	

5	3-SEAT AIRPORT BENCH IN STAINLESS STEEL WITH PERFORATED BACK AND SIDES	
6	2-SEAT AIRPORT BENCH IN STAINLESS STEEL WITH PERFORATED BACK AND SIDES	
7	LARGE WASTE BIN: STEEL, POWDER COATED IN SILVER WITH FUNNEL TOP, AND PLASTIC LINER – 340mm(DIA) X 600mm(H)	
8	HD LED SCREEN – 52" SAMSUNG including wall mounted bracket Supply and install	

